

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#) | [Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

## IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**[Help](#)

1) Enter a single keyword, phrase, or Boolean expression.  
 Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical &lt;and&gt; (fiber &lt;or&gt; fibre) &lt;in&gt; ti

3) Limit the results by selecting Search Options.

 4) Click Search. See [Search Examples](#)

 display\* <paragraph> (grada\*  
 <or> resolution) <paragraph>  
 (adjust\* <or> alter\* <or>  
 chang\* <or> modif\*)

Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword(s).

 Search operators: <and> <or> <not> <in> [More](#)

 Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

## Search Options:

## Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

## Select years to search:

 From year:  to 

## Organize search results by:

 Sort by: 

 In:  order

 List  Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office


» Se

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **4** of **1085387** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

display\* &lt;paragraph&gt; (grada\* &lt;or&gt; resolution) &lt;para

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Automated quantitation of proton magnetic resonance spectroscopy imaging**

Rao, S.B.; He, R.; Mehta, M.; Narayana, P.A.;

Engineering in Medicine and Biology Society, 2003. Proceedings of the 25th Annual International Conference of the IEEE, Volume: 1, 17-21 Sept. 2003  
Pages: 513 - 516 Vol.1[\[Abstract\]](#)[\[PDF Full-Text \(438 KB\)\]](#)

IEEE CNF

**2 Dynamic RSVP for mobile IPv6 in wireless networks**

Geng-Sheng Kuo; Po-Chang Ko;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. IEEE 51st, Volume: 1, 15-18 May 2000  
Pages: 455 - 459 vol.1[\[Abstract\]](#)[\[PDF Full-Text \(452 KB\)\]](#)

IEEE CNF

**3 Tools for 3D-object retrieval: Karhunen-Loeve transform and spherical harmonics**

Vranic, D.V.; Saupe, D.; Richter, J.;

Multimedia Signal Processing, 2001 IEEE Fourth Workshop on, 3-5 Oct. 2001  
Pages: 293 - 298[\[Abstract\]](#)[\[PDF Full-Text \(452 KB\)\]](#)

IEEE CNF

**4 Image smoothing of liquid crystal display by a high-efficiency gratin**

*Che-Wei Chang; Fu-Jen Ko; Shieh, H.-P.D.;*  
Information Display, 1999. ASID '99. Proceedings of the 5th Asian Symposium  
on , 17-19 March 1999  
Pages:321 - 324

[\[Abstract\]](#)   [\[PDF Full-Text \(280 KB\)\]](#)   [IEEE CNF](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |  
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)  
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

L Number	Hits	Search Text	DB	Time stamp
1	273	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4))	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:47
2	6	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4)) same (consequetev\$4 success\$5)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:47
3	6	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4)) same (consequet\$7 success\$5)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:51
6	1570	((382/132) or (600/443)).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:53
7	4	((382/132) or (600/443)).CCLS.) and ((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4))	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:54
-	6506	imag\$4 same pixel same interval\$2	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:54
-	115	(imag\$4 same pixel same interval\$2) same gradat\$4	USPAT; US-PGPUB; IBM_TDB	2004/10/26 16:44
-	22	((imag\$4 same pixel same interval\$2) same gradat\$4) same (alte\$5 adjust\$4 correct\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:04
-	578	(382/132).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:04
-	105	((382/132).CCLS.) and (image same gradation)	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:26
-	415	gradation same imag\$4 same sequenc\$4	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:27
-	3	((382/132).CCLS.) and (gradation same imag\$4 same sequenc\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:46

L Number	Hits	Search Text	DB	Time stamp
1	273	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:47
2	6	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4)) same (consequetev\$4 success\$5)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:47
3	6	((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4)) same (consequet\$7 success\$5)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:51
6	1570	((382/132) or (600/443)).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:53
7	4	((((382/132) or (600/443)).CCLS.) and ((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4))	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:55
8	3	((("5539432") or ("5732705") or ("6134351"))).PN.	USPAT; US-PGPUB; IBM_TDB	2004/10/27 13:42
9	10450	((382/128) or (128/922) or (250/363.01) or (250/582) or (250/583) or (250/363.02) or (250/363.04) or (378/4) or (378/21) or (356/39) or (377/10) or (345/690) or (345/89) or (345/699) or (600/443) or (358/1.9)).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/27 13:44
10	746	(345/89).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/27 13:44
11	25	((((382/128) or (128/922) or (250/363.01) or (250/582) or (250/583) or (250/363.02) or (250/363.04) or (378/4) or (378/21) or (356/39) or (377/10) or (345/690) or (345/89) or (345/699) or (600/443) or (358/1.9)).CCLS.) and ((gradation or resolution) same (alter\$4 chang\$4) same (first near2 imag\$4) same (second near3 imag\$4))	USPAT; US-PGPUB; IBM_TDB	2004/10/27 13:44
-	6506	imag\$4 same pixel same interval\$2	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:54
-	115	(imag\$4 same pixel same interval\$2) same gradat\$4	USPAT; US-PGPUB; IBM_TDB	2004/10/26 16:44
-	22	((imag\$4 same pixel same interval\$2) same gradat\$4) same (alte\$5 adjust\$4 correct\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:04
-	578	(382/132).CCLS.	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:04
-	105	((382/132).CCLS.) and (image same gradation)	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:26
-	415	gradation same imag\$4 same sequenc\$4	USPAT; US-PGPUB; IBM_TDB	2004/10/26 17:27
-	3	((382/132).CCLS.) and (gradation same imag\$4 same sequenc\$4)	USPAT; US-PGPUB; IBM_TDB	2004/10/27 12:46